

[Web](#) [Images](#) [Video](#)^{New!} [News](#) [Maps](#) [more »](#)

URL including userID and authorization acces

[Search](#)[Advanced Search](#)
[Preferences](#)The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)**Web**Results 1 - 10 of about 441,000 for [URL including userID and authorization access](#). (0.21 seconds)Did you mean: [URL including *user ID* and authorization access](#)[1/draft-ietf-lemonade-urlauth-03.txt 2006-02-05 00:14:20.000000000 ...](#)

Note: if a SASL mechanism which provides both **authorization** and authentication ... The "user+<userid>" **access** identifier limits resolution of that **URL** to a ...
[tools.ietf.org/wg/lemonade/draft-ietf-lemonade-urlauth/draft-ietf-lemonade-urlauth-04-from-03.diff.txt](#) - 9k - [Cached](#) - [Similar pages](#)

[Diff: draft-ietf-lemonade-urlauth-03.txt - draft-ietf-lemonade ...](#)

IMAP client can use URLs carrying **authorization** to **access** limited ... The "user+<userid>" **access** identifier limits resolution of that **URL** to a ...
[tools.ietf.org/wg/lemonade/draft-ietf-lemonade-urlauth/draft-ietf-lemonade-urlauth-04-from-03.diff.html](#) - 42k - [Cached](#) - [Similar pages](#)
[[More results from tools.ietf.org](#)]

[Sympa, a mailing lists server connected to the Information System](#)

3 Managing **access** control with "**authorization** scenarios" ... the exchanged attributes (including **user ID** and email addresses) can be filtered on both sides. ...
[www.sympa.org/documentation/AA-in-Sympa/](#) - 61k - [Cached](#) - [Similar pages](#)

[\[PDF\] Authentication and **access** control in Sympa mailing list software 1 ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

4 Managing **access** control with "**authorization** scenarios" ... the exchanged attributes (including **user ID** and email addresses) can be filtered ...
[www.sympa.org/documentation/AA-in-Sympa/AA-in-Sympa.pdf](#) - [Similar pages](#)

Apache Core Features

This directive sets the name of the **authorization** realm for a directory. ... The <Location> directive provides for **access** control by **URL**. ...
[httpd.apache.org/docs/1.3/mod/core.html](#) - 171k - [Cached](#) - [Similar pages](#)

[core - Apache HTTP Server](#)

Authentication, **Authorization**, and **Access** Control ... If CGI processes are not running under user ids other than the web server **user id**, this directive will ...
[httpd.apache.org/docs/2.0/mod/core.html](#) - 176k - [Cached](#) - [Similar pages](#)
[[More results from httpd.apache.org](#)]

Configuring the external authentication interface

If you cannot avoid using an absolute **URL** then ensure that the absolute **URL** is not subject to any restrictive Tivoli **Access** Manager **authorization** decisions. ...
[publib.boulder.ibm.com/infocenter/tivihelp/v2r1/topic/com.ibm.itame.doc/am60_webrowsers_admin143.htm](#) - 10k - [Cached](#) - [Similar pages](#)

[web reverse proxy to provide intranet **access** from web enabled ...](#)

The format of **URL**'s to **access** intranet would be: ... HTTP req including **user ID** & passwd in the basic auth header internal web server ...
[www.mhonnarc.org/archive/html/ietf-openproxy/2000-12/msg00029.html](#) - 13k - [Cached](#) - [Similar pages](#)

[\[PDF\] Authentication and **access** control in Sympa mailing list software 1 ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)[http://www.google.com/search?hl=en&q=URL+including+userID+and+authorization+access](#)

www.terena.nl/publications/tnc2004-proceedings/papers/salaun.pdf - Similar pages

Files/Word docs/Directions for Electronic **access** db.doc - Similar pages

Goooooooooooooogle ▶

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

URL including userID and authorization

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S177	5502	(lookup\$3) same (username\$1 or name\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 13:45
S178	2820	S177 and ((file near2 system) or directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 13:54
S179	289	S177 and ((file near2 system) or directory) and (string or URL) and (permit same access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 13:47
S180	247	S177 and ((file near2 system) or directory) and (string or URL) and (permit same access) and (ID or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 13:47
S181	150	S177 and ((file near2 system) or directory) and (string or URL) and (permit same access) and (ID or identifier) and (search\$3 same (username or name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 13:48
S182	25	S177 and ((file near2 system) or directory) and (string or URL) and (permit same access) and (ID or identifier) and (search\$3 same (username or name) same URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 13:53
S183	242	(lookup same URL same(identifier or ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 13:55
S184	134	S183 and ((file near2 system) or directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 13:54

EAST Search History

S18 5	8	(lookup same URL same(device with (identifier or ID)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 13:56
S18 6	53	(lookup same URL same(user with (identifier or ID)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 14:23
S18 7	1521	(URL same(user with (identifier or ID))) and ((file near2 system) or directory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 14:24
S18 8	793	(URL same(user with (identifier or ID))) and ((file near2 system) or directory) and path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 14:24
S18 9	429	(URL same(user with (identifier or ID))) and ((file near2 system) or directory) and path and (access same (permit or authoriz\$))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 14:25
S19 0	292	S189 and search	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/14 14:25